



WELCOME TO GOOSE FOOT

The most durable street furniture isn't always the most stylish. And the most stylish street furniture isn't always the most practical. And when the two – just occasionally – do come together, there's usually a price to pay.


But not any more.

Say hello to Goose Foot...a brand new range of high quality street furniture designed to give outstanding performance, built with inherently recyclable materials, produced with a real sense of style and flair, and priced to make it a serious competitor to the standard options available today.


And while the name may be new to you, the people behind it are far from strangers to the business. Goose Foot is a coming together of the celebrated design skills and ingenuity of Ollerton Engineering Services, and the 21st Century manufacturing pedigree of the WEC Group.




Emperor Seat



PLAN VIEW



FRONT ELEVATION



SIDE ELEVATION

TECHNICAL DATA

Manufactured by Goose Foot and designed in collaboration with Planit-IE, these iconic seats measure 4m x 1m and are constructed using marine grade 316 stainless steel and ethically sourced supplies of iroko. Easily recognisable across a variety of urban realm projects, these seats are designed for comfort, style and eye catching recognition.

Size Options

4m standard length

Variations

N/A

Leg Mounting Options

Surface

Other Options

As one of the foremost designers and manufacturers of street furniture, Goose Foot is able to build this seat in a variety of styles. Shorter, without a backrest or single sided. Our design engineers are on hand to create the perfect seat or bench to suit your requirements.

Product Code

GF5508-01

In collaboration with Planit-IE



Magellan Stainless Steel Seat



TECHNICAL DATA

With a satin polished stainless steel frame and slats, Magellan combines graceful curves and contours with impressive strength and all-weather durability in a seat designed for comfort, style and outstanding performance.

Magellan is shown fitted with optional arms styled after Lalique's Spirit of the Wind.

Size Options

1800mm standard length

GF5001

Variations

N.A.

Leg Mounting Options



Surface
Spigot
Sub-surface

-01
-02
-03


Other Options

Arm rests
Memorial plaques
Seat end logos

GF503
GF510
GF511




SUB-SURFACE MOUNTED TYPE
TYPICAL ELEVATION



SPIGOT MOUNTED TYPE
TYPICAL ELEVATION
WITH ARMREST



Magellan Timber Slatted Seat



TECHNICAL DATA

With a satin polished stainless steel frame and hardwood slats from renewable sources, Magellan combines graceful curves and contours with impressive strength and all-weather durability in a seat designed for comfort, style and outstanding performance.

Magellan is also available fitted with arms styled after Lalique's Spirit of the Wind.

Size Options

1800mm standard length

GF5003

Variations

N/A

Leg Mounting Options

Surface

-01

Spigot

-02

Sub-Surface

-03

Other Options

Arm rests


GF504

Memorial plaques


GF510

Seat end logos

GF511





SUB-SURFACE MOUNTED TYPE
TYPICAL ELEVATION




SPIGOT MOUNTED TYPE
TYPICAL ELEVATION
WITH ARMREST



Lander Stainless Steel Seat



SUB-SURFACE MOUNTED TYPE
TYPICAL ELEVATION
WITH FLORENTINE ARM



SPIGOT MOUNTED TYPE
TYPICAL ELEVATION
WITH MANNHEIM ARM

TECHNICAL DATA

With its satin polished stainless steel construction, the striking angular profile of Lander makes an impressive statement. Whilst looking welcoming and comfortable it takes on an even more inviting appeal with the addition of the optional Mannheim or Florentine styled arm.

Size Options

1810mm standard length (as shown)
2010mm standard length

GF5101
GF5111

Other lengths to special order

Variations

N/A

Leg Mounting Options

Surface
Spigot
Sub-Surface

-01
-02
-03

Other Options

Arm rests - Mannheim Style
- Florentine Style




GF501
GF502

Memorial plaques
Seat end logos

GF510
GF511



Lander Mild Steel Seat



SUB-SURFACE MOUNTED TYPE
TYPICAL ELEVATION
WITH MANNHEIM ARM

SPIGOT MOUNTED TYPE
TYPICAL ELEVATION

TECHNICAL DATA

With its hot-dip galvanised, colour-coated mild steel construction, the striking angular profile of Lander makes an impressive statement. Whilst looking and feeling welcoming and comfortable. It takes on an even more inviting appeal with the addition of the optional Mannheim or Florentine-styled arm.

Size Options

1810mm standard length (as shown)	GF5100
2010mm standard length	GF5110
Other lengths to special order	

Variations

A choice of colours from our Standard Range

Leg Mounting Options

Surface
Spigot
Sub-Surface


Other Options

Arm rests - Mannheim Style (see right photo)	GF501
- Florentine Style (see left photo)	GF502


Memorial plaques	GF510
Seat end logos	GF511



Lander Timber Slatted Seat



PLAN - STRAPS REMOVED FOR CLARITY



TYPICAL ELEVATION

TECHNICAL DATA

With a mild steel frame and hardwood slats made from renewable sources, the Lander timber slatted seat is designed for comfort, style and durability.

The graceful curves and contours and impressive strength make it a great seat for all weather performance.

This timber slatted seat is also available with optional arm rests.

Variations

A choice of colours from our Standard Range

Leg Mounting Options

Surface Mount

Spigot Mount

Sub-surface Mount



GF-5102 - 01

GF-5102 - 02

GF-5102 - 03



Tula Mild Steel Seat



TECHNICAL DATA

Inspired by the strength and rigidity of 21st century airframe construction, the hot-dip galvanised, colour coated mild steel Tula seat is engineered to combine rugged all-weather performance with an ergonomic profile that provides excellent support.

The Tula seat can also be fitted with the precision sculpted Florentine or Mannheim-styled arm.

Size Options

1810mm standard length (as shown)
2010mm standard length
Other lengths to special order

GF5200
GF5210

Variations

A choice of colours from our Standard Range

Manufactured in satin polished stainless steel

GF5201

Leg Mounting Options

Surface -01
Spigot -02
Sub-Surface -03


Other Options

Arm rests - Mannheim Style (see right photo) GF501
- Florentine Style (see left photo) GF502

Memorial plaques GF510
Seat end logos GF511




Tula Mild Steel Bench



PLAN VIEW



FRONT VIEW



SPIGOT MOUNTED TYPE
TYPICAL ELEVATION

TECHNICAL DATA

Inspired by the strength and rigidity of 21st century airframe construction, the hot-dip galvanised, colour coated mild steel Tula bench is engineered to combine rugged all-weather performance with a distinctive and contemporary profile.

Size Options

1810mm standard length
x 450mm wide
2010mm standard length
x 450mm wide
1810mm standard length
x 525mm wide
2010mm standard length
x 525mm wide

GF5204/450

GF5214/450

GF5204/525

GF5214/525

Variations

A choice of colours from our standard range

Leg Mounting Options

Surface -01
Spigot -02
Sub-Surface -03


Other Options

Seat end logos

GF511



Tula Stainless Steel Seat



TECHNICAL DATA

Inspired by the strength and rigidity of 21st century airframe construction, the satin-polished stainless steel Tula seat is engineered to combine a stylish and contemporary design with an ergonomic profile that provides excellent support.

The Tula seat can also be fitted with the precision sculpted Florentine or Mannheim-styled arm.

Size Options

1810mm standard length (as shown)
2010mm standard length

GF5201
GF5211

Other lengths to special order

Variations

N/A

Leg Mounting Options

Surface
Spigot
Sub-Surface

-01
-02
-03

Other Options


Arm rests - Mannheim Style (see right photo) GF501
- Florentine Style (see left photo) GF502

Memorial plaques
Seat end logos


GF510
GF511



Tula Curved Seat



PLAN - STRAPS REMOVED FOR CLARITY



TYPICAL ELEVATION

TECHNICAL DATA

The Tula Curved Seat is a high quality seating option for any environment or scheme. Engineered to combine comfort and functionality, the mild steel curved seat is suitable for rugged all-weather performance.

These seats are also available in various grades of satin polished stainless steel.

The Goose Foot Tula curved seat is not only aesthetically pleasing, but can also be produced in a number of different designs, including as inward and outward facing or as a circular tree seat.

The modular design of the curved seat means the length can be modified to suit your needs, making it a perfect product for a bespoke project.

Variations

Inward facing seat	GF-6200
Outward facing seat	GF 6202

Leg Mounting Options


Surface Mount	- 01
Spigot Mount	- 02
Sub-surface Mount	- 03

Other Options


A choice of colours from our Standard Range (RAL)



Tula Curved Bench



PLAN - SOME STRAPS REMOVED FOR CLARITY



TYPICAL ELEVATION

TECHNICAL DATA

The Tula curved bench is a high quality seating option for any type of scheme. Engineered to combine comfort and functionality it is also suitable for rugged all-weather performance and is available in various grades of satin polished stainless steel. The modular design of the bench means the length can be modified to suit your specifications, making this bench perfect for a bespoke project.

The Goose Foot Tula curved bench is not only aesthetically pleasing, but it can also be produced in a number of different designs, including as an inward and outward facing bench or as a circular tree bench.

In addition, the Tula curved bench can be fitted with the precision sculpted Florentine-styled arm.

Variations

A choice of colours from our Standard Range



Optional Radius and Lengths

Leg Mounting Options


Surface Mount	GF-6204 - 01
Spigot Mount	GF-6204 - 02
Sub-surface Mount	GF-6204 - 03



Embden Seat



SUB-SURFACE MOUNTED TYPE
TYPICAL ELEVATION
WITH MANNHEIM ARM



SPIGOT MOUNTED TYPE
TYPICAL ELEVATION

TECHNICAL DATA

The Embden seat is constructed in tough, hot-dip galvanised, colour-coated mild steel and shaped along clean, simple lines to deliver a no fuss, no frills, smart seating solution.

The Embden seat can also be fitted with the Mannheim-styled arm.

Size Options

1800mm standard length

GF5300

Variations

A choice of colours from our Standard Range

Leg Mounting Options

Surface

-01

Spigot

-02

Sub-Surface

-03

Other Options

Arm rests - Mannheim Style (see right photo)

GF501

Memorial plaques

GF510

Seat end logos


GF511




Embden Bench



PLAN VIEW



FRONT VIEW



SPIGOT MOUNTED TYPE
TYPICAL ELEVATION

TECHNICAL DATA

Designed in the spirit of form follows function, the Embden bench is constructed in tough, hot-dip galvanised, colour-coated mild steel and shaped along clean, simple lines to deliver a smart solution.

Size Options

1800mm standard length

GF5304

Variations

A choice of colours from our Standard Range

Leg Mounting Options

Surface	-01
Spigot	-02
Sub-Surface	-03



Other Options

Seat end logos

GF511



Brecon Seat



TECHNICAL DATA

With more than a nod to bygone days, Brecon recreates a design classic that has graced parks, gardens and public spaces for generations.

With colour-coated cast supports and heavy hardwood slats from renewable sources, this latest version promises to be every bit as durable.

Size Options

1800mm standard length (as shown)
2010mm standard length

GF5408
GF5418

Variations

A choice of colours from our Standard Range

Leg Mounting Options

Surface

-01


Other Options

Memorial plaques

GF510



Flat-Top Mild Steel Bollard



TECHNICAL DATA

The flat-top mild steel bollard has a heavy 6mm wall construction and complete with a 100mm wide recess, this bollard is built to perform superbly. The heavy wall construction and sheradised, colour-coated finish add further to its durability.

Size Options

1000mm standard height above ground level

GF1002

Alternative lengths to special order

Variations

A choice of colours from our Standard Range

Mounting Options

Surface

-01

Spigot

-02

Other Options

Reflective Tape


GF101

Chain Eyes

GF105



Flat-Top Stainless Steel Bollard



TECHNICAL DATA

With a stunning satin polished stainless steel finish, a heavy 6mm wall construction and complete with a 100mm wide recess, this bollard is built to perform superbly and still look like new for many years to come.

Size Options

900mm standard height above ground level

GF1000

Alternative lengths to special order

Variations

N/A

Mounting Options

Surface

-01

Spigot

-02

Other Options

Reflective Tape

GF101

Chain Eyes

GF105



Slant-Top Mild Steel Bollard



TECHNICAL DATA

The slant-top bollard features a heavy wall construction and sheradised, colour-coated finish for exceptional durability. The profile is designed to ensure rain, snow, and any occasional visitors don't stay in contact for long!

Size Options

1000mm standard height above ground level

GF1004

Alternative lengths to special order

Variations

A choice of colours from our Standard Range

Mounting Options

Surface

-01

Spigot

-02


Other Options

Reflective Tape

GF101

Chain Eyes

GF105



Slant-Top Stainless Steel Bollard



TECHNICAL DATA

The precise 45° slanted top, the heavy 6mm wall construction and the satin polished stainless steel finish all add up to a piece of street furniture that combines elegance with outstanding strength and durability.

Size Options

900mm standard height above ground level

GF1005

Alternative lengths to special order

Variations

Manufactured with a reduced wall thickness

GF1008

Mounting Options

Surface

-01

Spigot

-02


Other Options

Reflective Tape


GF101

Chain Eyes

GF105



Semi Dome-Top Stainless Steel Bollard



TECHNICAL DATA

The semi dome-top bollard has a 2mm wall construction with a satin polished stainless steel finish to combine elegance with durability.

Size Options

1000mm standard height above ground level

Alternative lengths to special order

Variations

N/A

Mounting Options

Surface mount


Spigot mount

GF-10007-01

GF-10007-02

Other Options

N/A



Hydrant Bollard



TECHNICAL DATA

With a discreet and lockable lift-out door, the Hydrant Bollard conceals an insulated stop-tap arrangement, and features a ¾" BSP tap and hose connection that allows a water supply, wherever and whenever it's needed, without ever drawing attention to itself. The hot-dip galvanised, colour coated, heavy wall mild steel construction makes it tough and durable too.

Size Options

900mm standard height above ground level

GF1003


Variations

A choice of colours from our Standard Range

Mounting Options

Spigot

-02



Waymarker Bollard



TECHNICAL DATA

Sculpted to make a 150mm square highly visible, the Waymarker can be adapted to carry important graphics, directions and information.

Constructed from mild steel and hot-dip galvanised for exceptional durability, colour coatings can be used to make it as discreet or as 'noticeable' as required.

Size Options

900mm standard height above ground level

GF1106

Variations

A choice of colours from our Standard Range
Alternative lengths to special order

Mounting Options

Spigot

-02

Other Options

Left hand arrow - (see right photo)

GF106


Right hand arrow - (see data sheet)

GF107

Straight ahead arrow

GF108

Other symbols to special order



Round Security Bollard



TECHNICAL DATA

This round security bollard is insurance company recommended and easy to service. This product lends itself to garage door protection, residential and commercial security. It has been installed at many major car showrooms across the UK.

The Security Bollard product range offers attractive aesthetics which are particularly appropriate for applications such as garage forecourt protection or locations where aesthetics are a high priority. This bollard is made from mild steel and available galvanised or powder coated with a choice of standard RAL colours.

Size Options


101mm diameter
670mm standard height above ground level

Variations

This bollard is also available in a lift out version which is suitable for areas not able to install a full outer casing.

Fixed	- GF-1217-02
Lift Out	- GF-1217-03
Telescopic	- GF-1217-04

DIMENSIONS IN BRACKETS ARE IN INCHES



Round Telescopic Security Bollard



TECHNICAL DATA

This product is a large deterrent bollard which is fitted with a lift-assist mechanism as standard on the telescopic variant. This reduces the lifting weight of the product by up to 70%. Available in a variety of different operations and with a range of complementary products to match. This product is perfect for all commercial security needs.

With an increased diameter, this bollard offers an aesthetically pleasing, more imposing deterrent to unauthorised vehicle attack and offers heavy duty ram-raid protection for multiple applications.

Size Options

114mm diameter
Available in 900mm or 670mm heights
(above ground level)

Variations

This model is also available in a fixed variant which is perfect for pedestrian and perimeter protection.


Mild Steel

Fixed - GF-1218-02
Lift out - GF-1218-03
Lift assist - GF-1218-05

Stainless Steel

Lift out - GF-1219-03
Lift assist - GF-1219-05

DIMENSIONS IN BRACKETS ARE IN INCHES



Square Security Bollard



TECHNICAL DATA

This anti-ram raid security bollard is insurance recommended and available in a variety of operating methods and is made from mild steel. The square, telescopic and fixed bollards offer a great solution for both residential and commercial security.

The products robust finish and sturdy looks are a great deterrent against ram-raid and lend this bollard to industrial applications such as warehouse roller shutter door protection and car showroom applications.

Size Options


90mm square
670mm standard height
(above ground level)

Variations

This security bollard provides highly versatile protection for most sites and is available in a fully retractable, lift out, lift assist and fixed version.

Fixed / Spigot - GF-1220-02
Lift Out - GF-1220-03
Telescopic - GF-1220-04
Lift Assist - GF-1220-05

DIMENSIONS IN BRACKETS ARE IN INCHES



Magpie Litter Bin



TECHNICAL DATA

Our Magpie Litter Bins are available with a capacity of 45L or 85L. The top and liner are galvanised mild steel while the body is a stainless steel construction powder coated with one of 26 standard colours. Our Magpie litter bins were engineered for all weather performance and outstanding durability.

Size Options

45L capacity
85L capacity

GF3000
GF3003


Variations

A choice of colours from our Standard Range.

Mounting Options

Spigot


-02



SPIGOT MOUNTED TYPE
FRONT ELEVATION



Sheffield Cycle Stand (mild steel)



TECHNICAL DATA

Simple, neat and unobtrusive, this safety cycle stand has been styled to blend in with any surroundings. With a hot-dip galvanised, colour-coated mild steel construction, strength and durability are in-built and the design may be adapted to suit ordinary cycles with wheels of any diameter.

Size Options

Standard height above ground - 750mm
Standard leg centres - 750mm

GF2000

Variations

A choice of colours from our Standard Range

Leg Mounting Options

Surface
Spigot

-01
-02


Other Options

Tapping Bar

GF201



Sheffield Cycle Stand (stainless steel)



TECHNICAL DATA

Simple, neat and unobtrusive, this safety cycle stand has been styled to blend in with any surroundings. With a satin polished stainless steel construction, strength and durability are in-built and the design may be adapted to suit ordinary cycles with wheels of any diameter.

Size Options

Standard height above ground - 750mm
Standard leg centres - 750mm

GF2001

Variations

N/A

Leg Mounting Options

Surface
Spigot

-01
-02

Other Options

Tapping Bar


























GF201



Colour Options



The Goose Foot range is available in the following standard colours:

Yellow	RAL 1023		Grey	BS 00 A 05	
Orange	RAL 2000			RAL 7012	
Red	RAL 3000			RAL 7021	
	RAL 3002		Brown	BS 08 B 29	
	RAL 3004		Black	RAL 9005	
	RAL 3005		Silver	RAL 9006	
	RAL 3020			RAL 9007	
Blue	RAL 5002		White	RAL 9010	
	RAL 5010			RAL 9016	
	RAL 5013				
	RAL 5015				
Green	RAL 6002		<p><i>Listed colours may vary from those shown. When specifying a colour please refer to a RAL specification chart.</i></p> <p><i>N.B. Goose Foot Street Furniture reserves the right to alter product specifications without notice.</i></p>		
	RAL 6005				
	RAL 6009				
	RAL 6025				
	RAL 6028				





Goose Foot Street Furniture
Britannia House, Junction Street
Darwen, Lancashire BB3 2RB

TEL +44 (0)1254 700213
EMAIL info@goosefootuk.com
www.goosefootuk.com